


A Server Grand ATX PS2 Redundant Power Supply



4U



Designed for 4U or tower chassis,
easy to upgrade your PC to a real server

- Compatible to most ATX / PS2 chassis, industrial PCs, rackmount server chassis 3U and above
- IEC 62368 ready
- Wattage: 400/500/600/700W and 900W
- Standardized form factor for an economical upgrade
- Hot swappable modular design
- Long lasting dual bearing fan
- Alarm guard design by smart power supply status LED indicator
- 230V 80PLUS® Gold certified with 90% peak efficiency at 50% load
- Digital management power supply with PMBus or USB
- Inner fan for lower acoustic level

Description

FSP900-50REB is a unique PS2 redundant power supply with hot-swappable modules, offering up to 900W. The front complies with ATX form factor, thus perfectly fitting in a standard tower server chassis to be used in an industrial or home office environment. In addition, the power supply is ideally the best choice for server, workstation, communication or any other automation applications. This product also complies with the latest safety and EMC standards meeting the various regulations worldwide.

Easy to Change from ATX to Redundant

Providing standard ATX screw holes without front end bracket needed.



Default Bracket for
Over 90% Chassis

Four bracket type



A Server Grand ATX PS2 Redundant Power Supply

**Replaceable Design
Saves the Cost and Increase Convenience**



FSP900-50REB



Single module



Cage

Safety



Applications

**AI or Visual computing
Automation controller
Graphic workstation
IPC controller
Multi-function server**

FSP Power Solution GmbH

info@fsp-ps.de / www.fsp-ps.de / www.fsp-group.com.ru
Jakobshöhe 16 / 41066 Mönchengladbach / Germany
TEL : +49 (0) 2161 495249 0 / FAX : +49 (0) 2161 495249 21