文件資料管制 文件資料管制 文件資料管制 All rights reserved



〈1〉外觀同標準品,增加EAN CODE

NOTE:

1. ALL THE LENGTH OF OUTPUT WIRES EXCLUDE HOUSING.
2. 公差: .XX=±0.5 [0.02]、.XXX=±0.25 [0.01]

UNIT:mm

P/N.:9PA20A0808

MODEL NO. : FSP2000-52AGPBI,IEC62368,(F660001)		TITLE: ASSY	SHEET: 1 OF 3	REV:01
R&D(2)	PE	DRAWN	DATE	
		周書宇	APR.29.2021	
INTERIOR COUNTERSIGN:				

Date:2021-04-29 18:53
OAD-00008419-R01.pdf
1/3禁止翻印外洩 All rights reserved



P/N.:9PA20A0808

UNIT:mm

MODEL NO. : FSP2000-52AGPBI,IEC62368	TITLE: ASSY	SHEET: 2 OF 3	REV:01

文件資料管制 文件資料管制 文件資料管制 All rights reserved
Date:2021-04-29 18:53
OAD-00008419-R01.pdf
2/3禁止翻印外洩 All rights reserved

REF. ID.	PIN NO.	SIGNAL	WIRE COLOR	GAUGE	CONNECTOR TYPE
P1 / 24	1	+3.3VDC	BALCK	16	WST P20-I42002K11D-B +P4-I42002K11D-B or EQUIV.
	2	+3.3VDC	BALCK	16	
		+3.3VSense	BALCK	22	
	3	COM	BALCK	16	
	4	+5V	BALCK	16	
	5	COM	BALCK	16	
	6	+5V	BALCK	16	
		+5VSense	BALCK	22	
	7	COM	BALCK	16	
	8	PW-OK	BALCK	22	
	9	+5Vsb	BALCK	16	
	10	+12V	BALCK	16	
		+12VSense	BALCK	22	
	11	+12V	BALCK	16	
	12	+3.3VDC	BALCK	16	
	13	+3.3VDC	BALCK	16	
	14	-12VDC	BALCK	16	
	15	COM	BALCK	16	
	16	PS-ON	BALCK	22	
	17	COM	BALCK	16	
	18	COM	BALCK	16	
	19	COM	BALCK	16	
	20				
	21	+5V	BALCK	16	
	22	+5V	BALCK	16	
	23	+5V	BALCK	16	
	24	COM	BALCK	16	
P2 P3	1	COM	BALCK	16	WST P4-I42002K3B-B4 +P4-I42002K4B-B4 or EQUIV.
	2	COM	BALCK	16	
	3	COM	BALCK	16	
	4	COM	BALCK	16	
	5	+12V	BALCK	16	
	6	+12V	BALCK	16	
	7	+12V	BALCK	16	
	8	+12V	BALCK	16	
P4 P6 P8 P10 P12	1	+12V	BALCK	16	WST P6-I42002 K21-B6 +P2-I42002 K13B-B or EQUIV.
	2	+12V	BALCK	16	
	3	+12V	BALCK	16	
	4	COM	BALCK	16	
	5	COM	BALCK	16	
	6	COM	BALCK	16	
	7	COM	BALCK	16	
	8	COM	BALCK	16	

P14 P16 P18 P20	1	+12V	BALCK	18	WST P6-I42002 K21-B6 +P2-I42002 K13B-B or EQUIV.
	2	+12V	BALCK	18	
	3	+12V	BALCK	18	
	4	COM	BALCK	18	
	5	COM	BALCK	18	
	6	COM	BALCK	18	
	7	COM	BALCK	18	
	8	COM	BALCK	18	
P5 P7 P9 P11 P13	1	+12V	BALCK	18	WST P6-I42002 K21-B6 +P2-I42002 K13B-B or EQUIV.
	2	+12V	BALCK	18	
	3	+12V	BALCK	18	
	5	COM	BALCK	18	
	6	COM	BALCK	18	
	7	COM	BALCK	18	
	4	COM	BALCK	18	
	8	COM	BALCK	18	
P15 P17 P19 P21	1	+12V	BALCK	18	WST P6-I42002 K21-B6 +P2-I42002 K13B-B or EQUIV.
	2	+12V	BALCK	18	
	3	+12V	BALCK	18	
	5	COM	BALCK	18	
	6	COM	BALCK	18	
	7	COM	BALCK	18	
	4	COM	BALCK	18	
	8	COM	BALCK	18	
P22	1	+3.3VDC	BALCK	18	MOLEX SD-67926 -0011 or EQUIV.
	2	COM	BALCK	18	
	3	+5V	BALCK	18	
	4	COM	BALCK	18	
	5	+12V	BALCK	18	
P23 P24 P25	1	+3.3VDC	BALCK	18	MOLEX SD-67926 -0011 or EQUIV.
	2	COM	BALCK	18	
	3	+5V	BALCK	18	
	4	COM	BALCK	18	
	5	+12V	BALCK	18	
P26	1	+3.3VDC	BALCK	18	MOLEX SD-67582 -001 or EQUIV.
	2	COM	BALCK	18	
	3	+5V	BALCK	18	
	4	COM	BALCK	18	
	5	+12V	BALCK	18	
P27 P28 P29	1	+3.3VDC	BALCK	18	MOLEX SD-67582 -001 or EQUIV.
	2	COM	BALCK	18	
	3	+5V	BALCK	18	
	4	COM	BALCK	18	
	5	+12V	BALCK	18	

P30 P34 P38	1	+3.3VDC	BALCK	18	MOLEX SD-67926 -0011 or EQUIV.
	2	COM	BALCK	18	
	3	+5V	BALCK	18	
	4	COM	BALCK	18	
	5	+12V	BALCK	18	
P31 P35 P39	1	+3.3VDC	BALCK	18	MOLEX SD-67926 -0011 or EQUIV.
	2	COM	BALCK	18	
	3	+5V	BALCK	18	
	4	COM	BALCK	18	
	5	+12V	BALCK	18	
P32 P36	1	+12V	BALCK	18	AMP 1-480424-0 or EQUIV.
	2	COM	BALCK	18	
	3	COM	BALCK	18	
	4	+5V	BALCK	18	
P33 P37 P40	1	+12V	BALCK	18	AMP 1-480424-0 or EQUIV.
	2	COM	BALCK	18	
	3	COM	BALCK	18	
	4	+5V	BALCK	18	
P41	1	+5V	BALCK	22	AMP 171822-4 or EQUIV.
	2	COM	BALCK	22	
	3	COM	BALCK	22	
	4	+12V	BALCK	22	

P/N.:9PA20A0808

UNIT:mm

MODEL NO. : FSP2000-52AGPBI,IEC62368	TITLE: ASSY	SHEET: 3 OF 3	REV:01

文件資料管制 文件資料管制 All rights reserved

Date:2021-04-29 18:53 OAD-00008419-R01.pdf 3/3禁止翻印外洩 All rights reserved