全漢企業股份有限公司

安規證書

料號		
Model Name		FSP650-50FUB
版次	:	01
文件編號	:	SFD-00011241
作者	:	chow/周懿慧(FSP)
SFA NO.	:	SFA25061075
Trade mark	:	FSP
安規種類	:	CCC(5K+熱帶)/62368
發行日期	:	2025/08/27 14:22:01
備註	:	CCC 62368 for FSP650-50FUB 輝力 17625 D類

文件資料管理 · All rights reserved

台灣 桃園市桃園區 330 建國東路 22 號
No. 22, Jianguo E. Rd., Taoyuan Dist., Taoyuan City
330, Taiwan(R.O.C)
TEL：+886-3-375-9888　　FAX：+886-3-375-6966

機密資料管制 資料等級：密等 機密資料管制. Confidential All rights reserved

中国国家强制性产品认证证书

证书编号：2025010907806680

认证委托人名称及地址
全汉企业股份有限公司
台湾桃园市桃园区建国东路 22 号

生产者名称及地址
全汉企业股份有限公司
台湾桃园市桃园区建国东路 22 号

生产企业名称及地址
深圳辉力电子有限公司
深圳市宝安区新安街道布心社区 73 区流塘路 352 号辉力厂 C4 栋 101 至 301、C5-C11 栋

产品名称和系列、型号、规格
开关电源供应器
FSP650-50FUB：交流输入： 100-240V～ , 10-5A, 60-50Hz;直流输出: +3.3Vdc 14.0A, +5Vdc 16.0A, +12Vdc 54.17A, +5Vsb dc，3.0A, -12Vdc 0.3A; +3.3Vdc & +5Vdc 最大输出功率 100W Max.; 总输出不可持续超过 650W (电线组件为可选，仅适用于海拔 5000 米及以下地区）

产品标准和技术要求
GB 17625.1-2022;GB 4943.1-2022;GB/T 9254.1-2021

上述产品符合《强制性产品认证实施规则 电子产品及安全附件》（CNCA-C09-01:2023）的要求，特发此证。

发证日期：2025 年 08 月 27 日 **有效期至：**2030 年 08 月 26 日

证书信息和有效性可扫描下方二维码或登录发证机构网站查验，也可在认监委网站（www.cnca.gov.cn）查询。

经中国合格评定国家认可委员会认可 CNAS C001-P

签发：谢肇煦

中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司

中国质量认证中心有限公司 1101061026946

http://www.cqc.com.cn 北京市丰台区南四环西路188号九区5号楼 100070 电话：+86 10 83886666

機密資料管制 資料等級：密等 機密資料管制. Confidential All rights reserved

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2025010907806680

NAME AND ADDRESS OF THE APPLICANT

FSP Group Inc.
No.22,JianGuo E.Rd.,TaoYuan City,TaiWan

NAME AND ADDRESS OF THE MANUFACTURER

FSP Group Inc.
No.22,JianGuo E.Rd.,TaoYuan City,TaiWan

NAME AND LOCATION OF THE FACTORY

ShenZhen HuiLi Electronics CO.,LTD
Building C4（101~301）-C11, No. 352, LiuTang Rd., County 73, Bu'Xin Village, Xin'an, Bao'an, Shenzhen, Guangdong, China

PRODUCT NAME,MODEL AND SPECIFICATION

Switching Power Supply

FSP650-50FUB：AC input： 100-240V～，10-5A, 60-50Hz;DC output: +3.3Vdc 14.0A, +5Vdc 16.0A, +12Vdc 54.17A, +5Vsb dc，3.0A, -12Vdc 0.3A; +3.3Vdc & +5Vdc Maximum output power 100W Max.; Total output cannot sustain above 650W (Cord set is optional，Altitude up to 5000m）

STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB 17625.1-2022;GB 4943.1-2022;GB/T 9254.1-2021

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C09-01:2023).

Valid from: Aug.27,2025 **Valid until:** Aug.26,2030

The certificate information and validity could be checked by scanning the QR code below or logging in to the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

SIGNATURE: 谢肇煦

中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.

中国质量认证中心有限公司 1101061026946

http://www.cqc.com.cn Building 5, Section 9, No. 188, Nansihuan Xilu, Beijing 100070 P. R. China Tel: +86 10 83886666